

**2003 Ford Super Duty F-350 DRW
F32 Reg Cab 137" XL**

No Picture Available for this vehicle

VEHICLE SUMMARY

| | MSRP |
|--------------------|--------------------|
| Base Price | \$22,595.00 |
| Dest Charge | \$740.00 |
| Advert/Adjustments | \$0.00 |
| Total Options | \$1,900.00 |
| Total Price | \$25,235.00 |

Effective Date: 5/13/02

ORDERING EFF 7/01/02 - PLC 315

SELECTED OPTIONS

| CODE | DESCRIPTION | MSRP |
|-------------|---|-------------|
| _____ | STANDARD EMISSIONS | \$0.00 |
| 99L | 5.4L (330) SOHC SEFI V8 ENGINE (STD) (N/A w/422 Emissions) | \$0.00 |
| 44E | HD 4-SPEED AUTOMATIC TRANSMISSION W/OD -inc: trans temp gauge (REQ: 99L or 99S Engine) | \$1,095.00 |
| X61 | 3.73 AXLE RATIO (w/422 Emissions & 99S Engine REQ: 66D Pickup Box Delete & 44E Trans) (w/422 Emissions N/A w/99L Engine) | \$0.00 |
| 620A | XL SERIES ORDER CODE | \$0.00 |
| 205 | PAYLOAD PKG #1 (w/422 California Emissions-inc: 11,000# GVWR, 5135# maximum payload) -inc: 11,200# GVWR, 5540# maximum payload (STD) (REQ: 99L or 99S Engine) | \$0.00 |
| T35 | LT235/85R16E SBR BSW ALL-SEASON TIRES (STD) | \$0.00 |
| V_ | HD VINYL FRONT BENCH SEAT (STD) | \$0.00 |
| _____ | SOLID PAINT (STD) | \$0.00 |
| 572 | AIR CONDITIONING | \$805.00 |
| 47Z | AMBULANCE PREP PKG NOT REQUIRED | \$0.00 |

VEHICLES, TRUCKS, CLASS 3, PICKUP/UTILITY/DUMP, W/SNOW PLOW OPT. - T2101
SECTION 1, PRICE: \$15,789.00 (LINE 1), OPTIONS' DISCOUNT: 15% (LINE 2)
CONTRACT: A53306 CONTRACTOR: WARNOCK AUTOMOTIVE INC

| CODE DESCRIPTION | | MSRP |
|------------------|---------------------------|------|
| Color Selections | | |
| | Description | Code |
| Exterior#1 | Arizona Beige Metallic | AQ |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Dark Shadow Grey Metallic | CX |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Red | F1 |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Red | F1 |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Toreador Red Metallic | FN |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Toreador Red Metallic | FN |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | True Blue Metallic | L2 |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | True Blue Metallic | L2 |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |

| CODE DESCRIPTION | | MSRP |
|------------------|------------------------------|-------------|
| Exterior#1 | Dark Highland Green Metallic | PY |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Dark Highland Green Metallic | PY |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Sonic Blue Metallic | SN |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Sonic Blue Metallic | SN |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Black | UD |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Black | UD |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Oxford White | Z1 |
| Exterior#2 | | |
| Interior | Medium Parchment | H |
| | Description | Code |
| Exterior#1 | Oxford White | Z1 |
| Exterior#2 | | |
| Interior | Medium Flint | E |
| | Description | Code |
| Exterior#1 | Silver Metallic | Z3 |

| CODE | DESCRIPTION | MSRP |
|------------|--------------|------|
| Exterior#2 | | |
| Interior | Medium Flint | E |

OPTIONAL EQUIPMENT

| CODE | DESCRIPTION | MSRP |
|---------------------|---|------------|
| EMISSIONS | | |
| — | STANDARD EMISSIONS | \$0.00 |
| 422 | CALIFORNIA EMISSIONS *Required on units for California, Maine & Massachusetts registration. Optional for Cross-Border States* | \$0.00 |
| 42F | CLEAN FUEL FLEET LEV (REQ: Standard Emissions, 99F or 99P Engine, 449 or 44B Trans) | \$0.00 |
| 423 | CALIFORNIA EMISSIONS NOT REQUIRED *For units shipped or sold to California Emissions States dealers for registration out of state* (REQ: Standard Emissions) | \$0.00 |
| 936 | CALIFORNIA EMISSIONS STATES PUBLIC SERVICE/ EMERGENCY VEHICLE EXEMPTION *Only available on units sold to authorized government units & privately-owned ambulance companies* (REQ: 423 Emissions) | \$0.00 |
| 93N | NON-CALIFORNIA EMISSIONS/NON-CROSS-BORDER STATES DEALER ORDER FOR CALIFORNIA EMISSIONS STATES REGISTRATION (REQ: 422 Emissions) *Required on all units ordered by dealers for California Emissions States registration when the vehicle is being delivered to a non-California Emissions/ non-Cross-Border States location. Vehicles must be registered in California Emissions States* | \$0.00 |
| ENGINE | | |
| 99L | 5.4L (330) SOHC SEFI V8 ENGINE (STD) (N/A w/422 Emissions) | \$0.00 |
| 99S | 6.8L (415) SOHC SEFI V10 ENGINE | \$600.00 |
| 99F | 7.3L (444) DI V8 TURBO-DIESEL "POWER STROKE" ENGINE -inc: 115 amp alt, dual 78 amp/hr batteries, engine block heater, exhaust back pressure valve, air filter minder | \$4,840.00 |
| 99P | 6.0L (364) DI V8 TURBO-DIESEL "POWER STROKE" ENGINE -inc: dual 78 amp/hr batteries, engine block heater *Late Availability* | \$5,085.00 |
| TRANSMISSION | | |
| 445 | 6-SPEED MANUAL TRANSMISSION W/OD (N/A w/99F or 99P Engine) (w/422 Emissions REQ: 99S Engine) (STD) -inc: PTO provision | \$0.00 |
| 446 | 6-SPEED MANUAL TRANSMISSION W/OD -inc: PTO provision (REQ: 99F Engine) | \$0.00 |
| 44E | HD 4-SPEED AUTOMATIC TRANSMISSION W/OD -inc: trans temp gauge (REQ: 99L or 99S Engine) | \$1,095.00 |
| 449 | HD 4-SPEED AUTOMATIC TRANSMISSION W/OD (REQ: 99F Engine) -inc: trans temp gauge | \$1,095.00 |

| CODE | DESCRIPTION | MSRP |
|--------------------------|--|------------|
| 447 | 6-SPEED MANUAL TRANSMISSION W/OD *Late Availability* -inc: PTO provision (REQ: 99P Engine) | \$0.00 |
| 44B | 5-SPEED AUTOMATIC TRANSMISSION W/OD -inc: tow/ haul feature (REQ: 99P Engine) *Late Availability* | \$1,480.00 |
| AXLE | | |
| X61 | 3.73 AXLE RATIO (w/422 Emissions & 99S Engine REQ: 66D Pickup Box Delete & 44E Trans) (w/422 Emissions N/A w/99L Engine) | \$0.00 |
| XF2 | 4.10 AXLE RATIO W/LIMITED SLIP REAR AXLE (w/422 Emissions & 66D Box Delete REQ: 449 or 44B Trans) (REQ: 99F or 99P Engine) | \$300.00 |
| XF3 | 4.30 AXLE RATIO W/LIMITED SLIP REAR AXLE (REQ: 99S Engine) | \$300.00 |
| SERIES ORDER CODE | | |
| 620A | XL SERIES ORDER CODE | \$0.00 |
| PAYLOAD PKGS | | |
| 205 | PAYLOAD PKG #1 (w/422 California Emissions-inc: 11,000# GVWR, 5135# maximum payload) -inc: 11,200# GVWR, 5540# maximum payload (STD) (REQ: 99L or 99S Engine) | \$0.00 |
| 205 | PAYLOAD PKG #1 -inc: 11,500# GVWR, 5235# maximum payload (w/422 California Emissions-inc: 11,000# GVWR, 4735# maximum payload) *Diesel max payload numbers reflect use of automatic transmission* (REQ: 99F Engine) | \$0.00 |
| 205 | PAYLOAD PKG #1 (REQ: 99P Engine) -inc: 11,500# GVWR, 5195# maximum payload *Diesel max payload numbers reflect use of automatic transmission* (w/422 California Emissions-inc: 11,000# GVWR, 4695# maximum payload) | \$0.00 |
| TIRES | | |
| T35 | LT235/85R16E SBR BSW ALL-SEASON TIRES (STD) | \$0.00 |
| T3N | LT235/85R16E SBR BSW ALL-TERRAIN TIRES | \$125.00 |
| SEAT TYPE | | |
| V_ | HD VINYL FRONT BENCH SEAT (STD) | \$0.00 |
| K_ | HD CLOTH/VINYL WEAVE FRONT BENCH SEAT | \$0.00 |
| C_ | HD CLOTH FRONT BENCH SEAT | \$160.00 |
| J_ | HD VINYL FRONT BUCKET SEATS *Does not include center console* | \$230.00 |
| H_ | HD CLOTH/VINYL WEAVE FRONT BUCKET SEATS *Does not include center console* | \$230.00 |
| G_ | HD CLOTH FRONT BUCKET SEATS *Does not include center console* | \$390.00 |
| 3_ | CLOTH FRONT 40/20/40 SPLIT BENCH SEAT | \$425.00 |
| T_ | VINYL 40/20/40 SPLIT BENCH SEAT *Late Availability* | \$400.00 |
| PAINT | | |
| ___ | SOLID PAINT (STD) | \$0.00 |
| AIR CONDITIONING | | |
| ___ | AIR CONDITIONING NOT DESIRED | \$0.00 |
| 572 | AIR CONDITIONING | \$805.00 |
| AMBULANCE PACKAGE | | |

| CODE | DESCRIPTION | MSRP |
|-----------------------------------|---|----------|
| 47Z | AMBULANCE PREP PKG NOT REQUIRED | \$0.00 |
| ADDITIONAL OPTIONS | | |
| 532 | CAMPER PKG (N/A w/66D Box Delete, 674 Suspension Pkg) -inc: heavy service front springs, slide-in camper certification | \$160.00 |
| | w/531 | \$245.00 |
| | w/o 531 | \$160.00 |
| — | HD FRONT SPRINGS CREDIT (REQ: 99F Engine, 532 Camper Pkg, LPO 531 Trailer Tow Delete) *CREDIT* | -\$60.00 |
| 674 | HEAVY SERVICE SUSPENSION PKG (N/A w/532 Camper Pkg, 682 Max Front GAWR Pkg) -inc: heavy service front springs, steering damper *Recommended only on vehicles which will permanently utilize aftermarket equipment such as HD winches, brush guards or apparatus which loads the front axle to the specified GAWR* | \$125.00 |
| 17F | XL DECOR GROUP -inc: chrome front bumper w/lower valance, chrome rear step bumper w/ step pad, single beam jewel effect headlamps, locking tailgate *NET* | \$115.00 |
| 63T | DUAL 130-AMP ALTERNATORS (REQ: 99F or 99P Engine) | \$335.00 |
| 18L | MOLDED BLACK INTEGRATED CAB STEPS | \$320.00 |
| 18B | BLACK TUBULAR CAB STEPS *2003 PRICE TO FOLLOW* | W/A |
| 54D | MANUAL TELESCOPING TRAILER TOW MIRRORS W/MANUAL GLASS -inc: 2-way fold feature | \$125.00 |
| 52N | SPEED CONTROL/TILT STEERING WHEEL | \$385.00 |
| 86R | CLASS V TRAILER HITCH RECEIVER (N/A w/66D Box Delete) *12,500# max capacity* | \$150.00 |
| 62R | TRANSMISSION PWR TAKE-OFF PROVISION (w/99L Engine REQ: 445 Trans) | \$250.00 |
| 433 | SLIDING REAR WINDOW | \$125.00 |
| 589 | ELECTRONIC AM/FM STEREO RADIO W/CASSETTE -inc: clock, 4 speakers | \$135.00 |
| 903 | PWR EQUIPMENT GROUP -inc: pwr windows/door locks | \$425.00 |
| LIMITED PRODUCTION OPTIONS | | |
| 96P | FULL-FUNCTION AUXILIARY IDLE CONTROL *Stationary use only* *All parts shipped loose* (REQ: 99F or 99P Engine) -inc: APC module w/battery charge protection, high idle control & LCD RPM/voltage readout, aux idle control module, wiring harness, mounting bracket/hardware, instruction booklet (LPO) | \$210.00 |
| 942 | DAYTIME RUNNING LIGHTS (LPO) | \$45.00 |
| 41H | ENGINE BLOCK HEATER (LPO) *Recommended when minimum temp is -10F or below* | \$35.00 |
| 682 | MAX FRONT GAWR PKG *May reduce ride quality* (LPO) *Available for body companies & qualified fleet customers only. Requires Modified Vehicle Engineering (MVE) approval* -inc: highest GAWR front springs, steering damper | \$70.00 |

| CODE | DESCRIPTION | MSRP |
|------|---|-----------|
| 66D | PICKUP BOX DELETE *Deletes pickup box, tailgate, rear bumper, spare tire & carrier* (N/A w/532 Camper Pkg, 86R Hitch Receiver) *CREDIT* -inc: incomplete vehicle pkg, steering damper, 7-wire trailer harness w/relays, blunt cut & labeled (LPO) | -\$665.00 |
| 512 | ALL-SEASON BSW SPARE TIRE -inc: steel wheel, underframe crank-type carrier, lock (LPO) (REQ: 66D Box Delete) *This option adds back STD full-size spare tire deleted by pickup box delete* | \$295.00 |
| 515 | ALL-TERRAIN BSW SPARE TIRE (REQ: 66D Box Delete) *This option adds back STD full-size spare tire deleted by pickup box delete* -inc: steel wheel, underframe crank-type carrier, lock (LPO) | \$295.00 |
| M55 | FRONT PASSENGER AIR BAG DELETE (LPO) (REQ: 66D Box Delete) *CREDIT* | -\$195.00 |
| 531 | TRAILER TOW PKG DELETE *Replaces STD 7-wire harness w/4-pin connector* (LPO) *CREDIT* *w/o 99F or 99P Engine replaces STD 130 amp alternator w/95 amp alternator* *Deletes STD front stabilizer bar* (N/A w/86R Trailer Hitch) | -\$155.00 |
| C09 | PRICED DORA | \$0.00 |
| B4A | NET INVOICE FLEET OPTION | \$0.00 |
| — | COMMERCIAL EARLY ORDER INCENTIVE *N/A to Rental & Government customers* *Available on orders received by December 31, 2002* *CREDIT* | \$0.00 |
| UFA | FLEET SPECIAL ADJUSTMENT *Req: valid FIN* *Does not require Blue Oval Certification* | \$0.00 |
| — | **NATIONAL FLEET INCENTIVE AVAILABLE TO QUALIFIED FLEET BUYERS ONLY** fleet customer will have the option of selecting the greater of available fleet incentive or retail customer cash incentive | \$0.00 |
| 56M | NATIONAL FLEET INCENTIVE | \$0.00 |
| — | BID ASSISTANCE | \$0.00 |

STANDARD EQUIPMENT

MECHANICAL

5.4L (330) SOHC SEFI V8 engine

6-speed manual transmission w/OD

3.73 axle ratio

Rear wheel drive

78 amp/hr (750 CCA) maintenance-free battery

130 amp alternator

Trailer tow pkg-inc: 7/4-pin trailer combination connector, trailer brake wiring kit, trailer tow guide

137" WB

8' pickup box w/tie-down hooks & partitionable/stackable storage

(2) front tow hooks

11,200# GVWR (4700 front/8250 rear), springs (4700 front/8250 rear), axles (4850 front/9750 rear)

MECHANICAL

Twin I-beam front axle
Front/rear stabilizer bar
Auxiliary rear springs *Activated when carrying heavy loads*
HD gas shock absorbers
(7) LT235/85R16E all-season SBR BSW tires
(7) 16" x 6.0" 8-hole argent styled steel wheels
Full-size spare tire w/steel wheel, lock, underframe crank carrier
Pwr steering
Pwr 4-wheel disc brakes
4-wheel anti-lock braking system (ABS)
38 gallon fuel tank

EXTERIOR

Front/rear license plate bracket
Argent painted front/rear step bumper
Black box-rail/tailgate top edge moldings
Valance air dam
Argent grille
Sealed beam halogen headlamps
Pickup box/cargo light
Roof/rear fender/below tailgate clearance lights
Black fold-away manual mirrors
Solar tinted glass
Interval wipers
Black door handles
Tailgate w/black handle

INTERIOR

HD vinyl front bench seat w/outboard headrests
Black vinyl full-floor covering
Color-keyed scuff plates
Black vinyl steering wheel
Instrumentation-inc: tachometer, trip odometer, voltmeter, oil pressure/ coolant temp/fuel gauges, indicator lights
Belt Minder seatbelt-not-buckled chime & flashing warning light
Inside hood release
(4) air registers w/positive shut-off
Electronic AM/FM stereo radio-inc: digital clock, (2) speakers
Color-keyed instrument panel-inc: dual cupholders, glove box, ashtray, cigar lighter, storage bin, trash bag hook
Auxiliary pwr point
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
11.5" day/night mirror
Color-keyed molded cloth headliner

INTERIOR

- Driver & front passenger grab handles
- Front passenger-side roof ride handle
- Dual color-keyed cloth sunvisors-inc: driver-side map strap, passenger-side mirror insert
- Dual color-keyed coat hooks
- Door operated dome lamp w/time delay off
- Dual map lights
- Grey fabric back panel cover

SAFETY

- 4-wheel anti-lock braking system (ABS)
- Driver & front passenger airbags w/passenger-side deactivation switch
- Color-keyed safety belts w/adjustable D-rings
- Child seat tethers on all seats
- Dual-note horn

COLOR CHART

| Exterior Colors | Interior Colors | |
|------------------------------|-----------------|--------------|
| | Medium Parchmen | Medium Flint |
| Arizona Beige Metallic | X | |
| Dark Shadow Grey Metallic | | X |
| Red | X | X |
| Toreador Red Metallic | X | X |
| True Blue Metallic | X | X |
| Dark Highland Green Metallic | X | X |
| Sonic Blue Metallic | X | X |
| Black | X | X |
| Oxford White | X | X |
| Silver Metallic | | X |

WARRANTY

- <<< PRELIMINARY 2003 WARRANTY >>>
- Basic: 3 Years/36,000 Miles
- Drivetrain: Gas Engine
 - 3 Years/36,000 Miles
- Diesel Engine
 - 5 Years/100,000 Miles
- Corrosion: 5 Years/Unlimited Miles
- Roadside Assistance: 3 Years/36,000 Miles

POWERTRAIN - BASIC SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

ENGINE

| | |
|--------------------------|--------------|
| Engine Order Code | (99L) |
| Engine Type | Gas V8 |
| Displacement | 5.4L/330 CID |
| Fuel System | (SEFI) |
| SAE Net Horsepower @ RPM | 260 @ 4500 |
| SAE Net Torque @ RPM | 350 @ 2500 |

TRANSMISSION

| | |
|------------------|-----------------------------|
| Trans Order Code | * 44E |
| Trans Type | * 4-Speed Automatic w/OD |
| Drivetrain | Rear Wheel Drive |

MILEAGE

| | | |
|----------------------------|------|------|
| | City | Hwy |
| EPA Fuel Economy Est (MPG) | 0.00 | 0.00 |
| Cruising Range (mi) | | |

POWERTRAIN - ADVANCED SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

TRANSMISSION

| | |
|------------------------|--------|
| Gear Ratio (:1) | |
| First Gear Ratio (:1) | * 2.71 |
| Second Gear Ratio (:1) | * 1.54 |
| Third Gear Ratio (:1) | * 1.00 |
| Fourth Gear Ratio (:1) | * 0.71 |
| Reverse Ratio (:1) | * 2.18 |
| Clutch Size (in) | * |
| Trans Power Take Off | * |

TRANSFER CASE

| | |
|-------------------------------------|--|
| Transfer Case Model | |
| Gear Ratio (:1) | |
| Transfer Case Gear Ratio (:1), High | |
| Transfer Case Gear Ratio (:1), Low | |
| Transfer Case Power Take Off | |

DIFFERENTIAL

| | | |
|-----------------------------|-------|------|
| | Front | Rear |
| Final Drive Axle Ratio (:1) | | 3.73 |

ELECTRICAL

| | | |
|-------------------------|--------|---|
| Battery | 1 | 2 |
| Maximum Capacity @ 0° F | 750.00 | |
| Alternator | | |

ELECTRICAL

| | |
|---------------------------------------|--------|
| Maximum Alternator Capacity (amps) | 130.00 |
|---------------------------------------|--------|

COOLING SYSTEM

| | |
|-------------------------------------|---------|
| Total Cooling System Capacity (qts) | 26.00 |
| Engine Oil Cooler | - TBD - |

PAYLOAD/TRAILERING SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

WEIGHT INFORMATION

| | Front | Rear |
|-----------------------------------|--------------|-------------|
| Gross Axle Weight Rating (lbs) | * 3,500.00 | 8,250.00 |
| Curb Weight (lbs) | 2,978.00 | 2,454.00 |
| Total Option Weight (lbs) | * 94.00 | * 108.00 |
| Reserve Axle Capacity (lbs) | * - TBD - | - TBD - |
| Gross Vehicle Weight Rating (lbs) | | |
| As Spec'd Curb Weight (lbs) | | |
| As Spec'd Payload (lbs) | | |
| Gross Combined Wt Rating (lbs) | | |

TRAILERING

| | Max Trailer Wt. | Max Tongue Load |
|---------------------------------|------------------------|------------------------|
| Dead Weight Hitch (lbs) | * 5,000.00 | * 500.00 |
| Weight Distributing Hitch (lbs) | * 7,566.00 | * 907.92 |
| Fifth Wheel Hitch (lbs) | * 7,566.00 | * 1,891.50 |

DIMENSION SPECIFICATIONS**EXTERIOR DIMENSIONS**

| | |
|--------------------------------------|---------|
| Wheelbase (in) | 137.00 |
| Length, Overall w/o rear bumper (in) | 222.20 |
| Width, Max w/o mirrors (in) | 95.50 |
| Height, Overall (in) | 77.20 |
| Overhang | |
| Overhang, Front (in) | 37.40 |
| Front Bumper to Back of Cab (in) | 118.20 |
| Cab to Axle (in) | 56.20 |
| Cab to End of Frame (in) | - TBD - |
| Ground to Top of Load Floor (in) | 34.20 |
| Ground to Top of Frame (in) | - TBD - |
| Frame Width, Rear (in) | - TBD - |
| Ground Clearance | |

EXTERIOR DIMENSIONS

| | |
|---------------------------------|---------|
| Ground Clearance, Front (in) | - TBD - |
|---------------------------------|---------|

| | |
|--------------------------------|---------|
| Ground Clearance, Rear (in) | - TBD - |
|--------------------------------|---------|

CARGO AREA DIMENSIONS

| | |
|--|-------|
| Cargo Box Length @ Floor (in) Width | 98.60 |
|--|-------|

| | |
|-------------------------------------|-------|
| Cargo Box Width @ Top, Rear (in) | 64.60 |
|-------------------------------------|-------|

| | |
|---------------------------------|---------|
| Cargo Box Width @ Floor (in) | - TBD - |
|---------------------------------|---------|

| | |
|---|-------|
| Cargo Box Width @ Wheelhousings (in) | 50.90 |
|---|-------|

| | |
|------------------------------|-------|
| Cargo Box (Area) Height (in) | 20.00 |
|------------------------------|-------|

| | |
|---------------------|-------|
| Tailgate Width (in) | 65.00 |
|---------------------|-------|

| | |
|--------------------|-------|
| Cargo Volume (ft³) | 77.70 |
|--------------------|-------|

| | |
|------------------------------|--|
| Ext'd Cab Cargo Volume (ft³) | |
|------------------------------|--|

INTERIOR DIMENSIONS

| | |
|--------------------|------|
| Passenger Capacity | 3.00 |
|--------------------|------|

| | |
|------------------|-------|
| Seating Position | Front |
|------------------|-------|

| | |
|----------------|-------|
| Head Room (in) | 41.30 |
|----------------|-------|

| | |
|---------------|-------|
| Leg Room (in) | 40.70 |
|---------------|-------|

| | |
|--------------------|-------|
| Shoulder Room (in) | 68.00 |
|--------------------|-------|

| | |
|---------------|-------|
| Hip Room (in) | 67.40 |
|---------------|-------|

CHASSIS SPECIFICATIONS

* Indicates equipment which is in addition to or replaces base model's standard equipment.

SUSPENSION**Front****Rear****Spring**

| | | |
|-------------|------|------------|
| Spring Type | Coil | Multi-Leaf |
|-------------|------|------------|

| | | |
|-----------------------|------------|----------|
| Spring Capacity (lbs) | * 3,500.00 | 8,250.00 |
|-----------------------|------------|----------|

Axle

| | | |
|-----------|------------------|--------------------|
| Axle Type | Ford Twin-I-Beam | Ford Full-Floating |
|-----------|------------------|--------------------|

| | | |
|---------------------|----------|----------|
| Axle Capacity (lbs) | 4,850.00 | 9,750.00 |
|---------------------|----------|----------|

| | | |
|---------------------------------|-------|-------|
| Shock Absorber Diameter (mm) | 35.00 | 35.00 |
|---------------------------------|-------|-------|

| | | |
|------------------------------|---------|---------|
| Stabilizer Bar Diameter (in) | - TBD - | - TBD - |
|------------------------------|---------|---------|

BRAKES

| | |
|------------|-------|
| Brake Type | Power |
|------------|-------|

| | |
|------------------|---------|
| Brake ABS System | 4-Wheel |
|------------------|---------|

Front**Rear**

| | | |
|------|-----|-----|
| Disc | Yes | Yes |
|------|-----|-----|

| | | | |
|---|-----------------|------------------|--------------|
| | Front | Rear | |
| Rotor Diam x Thickness (in) | 13.03 x - TBD - | 12.83 x - TBD - | |
| TIRES | Front | Rear | Spare |
| Tire Order Code | T35 | T35 | |
| Tire Size | LT235/85R16E | LT235/85R16E | LT235/85R16E |
| Capacity (lbs) | * 2,778.00 | * 2,778.00 | 2,778.00 |
| Revolutions/Mile @ 45mph | * 655.00 | * 655.00 | 655.00 |
| WHEELS | Front | Rear | Spare |
| Wheel Size (in) | 16 x 6.0 | 16 x 6.0 | 16 x 6.0 |
| Wheel Type | Steel | Steel | Steel |
| STEERING | | | |
| Steering Type | Power | | |
| Ratio (:1) | | | |
| Steering Ratio (:1), On Center | 17.00 | | |
| Steering Ratio (:1), At Lock | - TBD - | | |
| Turning Diameter (ft) | | | |
| Turning Diameter - Curb to Curb (ft) | 48.20 | | |
| Turning Diameter - Wall to Wall (ft) | 51.00 | | |
| FUEL TANK | Main | Auxiliary | |
| Fuel Tank Capacity, Approx (gal) | 38.00 | | |
| Fuel Tank Location | Midship | | |

VEHICLES, TRUCKS, CLASS 3, PICKUP/UTILITY/DUMP, W/SNOW PLOW OPT. - T2101
SECTION 1, PRICE: \$15,789.00 (LINE 1), OPTIONS' DISCOUNT: 15% (LINE 2)
CONTRACT: A53306 CONTRACTOR: WARNOCK AUTOMOTIVE INC